



VTS
Versatile Track System




Table of Contents

VTS 50+ (ALL MODELS EXCEPT BOBCAT)

1. RH Front Hub Assembly Page 1
2. LH Front Hub Assembly Page 2
3. Rear Hub Assembly Page 3
4. Tension Arm Assembly Page 4
5. Tunnel Assembly Page 5
6. Tunnel Idler and Bogies Page 6

VTS 50+ BOBCAT MODELS

1. RH Front Hub Assembly Page 7
2. LH Front Hub Assembly Page 8
3. Rear Hub Assembly Page 9
4. Tension Arm Assembly Page 10
5. Tunnel Assembly Page 11
6. Tunnel Idler and Bogies Page 12

VTS 65+ (ALL MODELS EXCEPT BOBCAT)

1. RH Front Hub Assembly Page 13
2. LH Front Hub Assembly Page 14
3. Rear Hub Assembly Page 15
4. Tension Arm Assembly Page 16
5. Tunnel Assembly Page 17
6. Tunnel Idler and Bogies Page 18

VTS 65+ BOBCAT MODELS

1. RH Front Hub Assembly Page 19
2. LH Front Hub Assembly Page 20
3. Rear Hub Assembly Page 21
4. Tension Arm Assembly Page 22
5. Tunnel Assembly Page 23
6. Tunnel Idler and Bogies Page 24

VTS 86+ MODELS

1. RH Front Hub Assembly Page 25
2. LH Front Hub Assembly Page 26
3. Rear Hub Assembly Page 27
4. Tension Arm Assembly Page 28
5. Tunnel Assembly Page 29
6. Tunnel Idler and Bogie Page 30

TORQUE SPECS FOR 50+ VTS Page 31

TORQUE SPECS FOR 65+ AND 86+ Page 32

VTS NOMENCLATURE Page 33

VTS TRACK SIZE CHART Page 34

ADDITIONAL NOTES

VTS 50+

The 50+ VTS systems are the compact assemblies for the small skid steers that have a horse power range of 50 to 60 horse power. These VTS only come with a 12" or 15" wide track. The 50+ undercarriages are made of lighter gauge steel and cannot be used on the heavier higher horse power 65+ and 86+ machines.

65+ VTS

The 65+ VTS systems are Heavier assemblies for the large skid steers that have a horse power range of 65 to 84 horse power. These VTS only come with 18" wide tracks. The 65+ undercarriages are made of heavier gauge steel than the 50+ undercarriages.

86+ VTS

The 86+ VTS systems have the same style undercarriage as the 65+, however, this undercarriage system has 4 bogey wheels instead of 3 and it also has 4 split bogey wheels instead of 2. The 86+ VTS systems 63 Link tracks, and will not fit on the 65+ horse power machines.

REPLACING BEARINGS AND SEALS ON VTS

COMPONENT PARTS ARE AVAILABLE TO REBUILD HUBS, BOGEYS, SPLITS BOGEYS, TENSION ROLLERS AND IDLERS FROM SERIAL NUMBER 33206 TO CURRENT. COMPONENT PARTS ARE NOT AVAILABLE TO REBUILD HUBS, BOGEYS, SPLITS BOGEYS, TENSION ROLLERS AND IDLERS FROM SERIAL NUMBER 20000 TO 33205. WHEN REPLACING ROLLERS WITH THE METAL FACE SEALS CONTACT THE FACTORY FOR SPECIAL HANDLING INSTRUCTIONS.

IMPORTANT

WHEN MOUNTING THE VTS TO THE MACHINE THE LUG NUTS NEED TO BE TORQUED AT **190 FT/LBS** DO NOT TORQUE TO THE TIRE TORQUE RATING.

VTS on BOBCAT MACHINES

All G Series Bobcat skid steers from 12-31-2005 and older had offset sprockets, all K Series skid steers from 1-1-2006 to current have inline sprockets. If you have questions Please contact the factory at 1-800-373-5441.

65+ VTS

THE FOLLOWING MACHINES HAVE A 601493 REAR IDLER INSTEAD OF THE 601475 IDLER: **BOBCAT:** S630 and S650 **CASE:** SR220, SR250, SV250 and SV300 **NEW HOLLAND:** L223, L225 and L230

LOEGERING CONTACT INFORMATION:

TECHNICAL SUPPORT - 800-373-5441

ORDERS CAN BE FAXED TO - 662-393-1704